


STANDARDNO KLINASTO REMENJE CLASSICAL-SECTION WRAPPED V-BELTS

DIN 2215, IP 23


DIN 2215

Profil Section	~b [mm]	~h [mm]	Pretvorba duljine Length Conversion
Z	10	6	$L_w = L_i + 20$
A	13	8	$L_w = L_i + 30$
B	17	11	$L_w = L_i + 40$
20	20	12,5	$L_w = L_i + 50$
C	22	14	$L_w = L_i + 50$
25	25	16	$L_w = L_i + 60$
D	32	20	$L_w = L_i + 75$
38	38	25	$L_w = L_i + 80$
E	40	25	$L_w = L_i + 80$

Profil Section	Raspon L_w duljina Range of L_w lengths	Prodajni set (kom) Sellings Set (pcs)
Z	580 - 5600	65
ZRAVLEK	620 - 3000	65
A	590 - 7000	55
ARA VLEK	630 - 3000	55
B	740 - 15000	40
BRA VLEK	740 - 12500	40
20	1110 - 15000	35
20RA VLEK	2800 - 12500	17
C	1110 - 15000	35
CRA VLEK	2800 - 12500	16
25	1120 - 15000	30
25RA VLEK	2800 - 12500	14
D	2240 - 15000	11
DRA VLEK	3000 - 12500	11
38	2500 - 15000	9
E	2500 - 15000	9

IP 23

Profil Section	~b [mm]	~h [mm]	Pretvorba duljine Length Conversion
3L	9,7	6	$L_a = L_w + 16$
4L	12,7	8	$L_a = L_w + 20$
5L	16,8	11	$L_a = L_w + 26$

Profil Section	Raspon L_w duljina Range of L_w lengths	Prodajni set (kom) Sellings Set (pcs)
3L	600 - 5600	65
4L	610 - 7000	55
5L	770 - 9000	40

Profesionalna kvaliteta i pouzdanost

- Optimalan omjer kvalitete i cijene.
- Dugi vijek trajanja.
- Najnoviji visokokvalitetni materijali.
- Precizna proizvodnja s kompjuterski upravljanim strojevima.
- Primjena suvremenih tehnologija u proizvodnom procesu.
- L=L sustav (počevši od 1000 mm L_i) jamči točne duljine i tolerancije za korištenje u setovima.
- Električna vodljivost (ISO 1813).
- Otpornost na temperaturama od -30 do +80 °C pri relativnoj vlažnosti 65 +/-15 %.

Professional Quality and Reliability.

- Optimal performance/price ratio.
- Long life.
- The newest high quality materials.
- Accurate manufacturing on computer driven machines.
- Modern technology of production process.
- L=L system (starting from 1000 mm L_i) guarantees accurate length tolerances for usage in sets.
- Electrically conductive (ISO 1813).
- Resistance to temperatures from -30 to +80 °C at relative humidity 65 +/-15 %.

RAVLEK - ojačano aramidnim nitima (kevlar)
RAVLEK - aramid cable cord tension members

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

Z			Z			A			A		
Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)
580	560	22	2580	2560	101	590	560	22	2800	2870	113
620	600	23 1/2	2650	2630	103 1/2	630	600	23 1/2	2900	2970	117
630	610	24	2720	2700	106 1/2	650	620	24 1/2	3000	3040	119 1/2
670	650	25 1/2	2800	2780	109 1/2	670	640	25	3070	3120	123
710	690	27	2900	2880	113 1/2	690	660	26	3150	3220	127
750	730	28 1/2	3000	2980	117 1/2	710	680	27	3250	3320	130 1/2
775	755	29 1/2	3070	3050	120	730	700	27 1/2	3350	3420	134 1/2
800	780	30 1/2	3150	3130	123	780	750	29 1/2	3450	3520	138 1/2
825	805	31 1/2	3250	3230	127	800	770	30 1/2	3550	3620	142 1/2
850	830	32 1/2	3350	3330	131	825	795	31 1/2	3650	3720	146 1/2
875	855	33 1/2	3450	3430	135	850	820	32 1/2	3750	3840	151
900	880	34 1/2	3550	3530	139	875	845	33 1/2	3870	3970	156 1/2
925	905	35 1/2	3650	3630	143	975	945	37	4000	4090	161
950	930	36 1/2	3750	3730	147	1000	970	38	4120	4220	166
975	955	37 1/2	3870	3850	151 1/2	1090	1060	41 1/2	4370	4340	171
1000	980	38 1/2	4000	3980	156 1/2	1120	1090	43	4500	4470	176
1030	1010	40	4120	4100	161 1/2	1150	1120	44	4620	4590	180 1/2
1060	1040	41	4250	4230	166 1/2	1180	1150	45 1/2	4750	4720	186
1090	1070	42	4370	4350	171 1/2	1220	1190	47	4870	4840	190 1/2
1120	1100	43 1/2	4500	4480	176 1/2	1250	1220	48	5000	4970	195 1/2
1150	1130	44 1/2	4620	4600	181	1280	1250	49	5150	5120	201 1/2
1180	1160	45 1/2	4750	4730	186	1320	1290	51	5300	5270	207 1/2
1210	1190	47	4870	4850	191	1360	1330	52 1/2	5450	5420	213 1/2
1250	1230	48 1/2	5000	4980	196	1400	1370	54	5600	5570	219 1/2
1280	1260	49 1/2	5150	5130	202	1450	1420	56	5800	5770	227
1320	1300	51	5300	5280	208	1500	1470	58	6000	5970	235
1360	1340	53	5450	5430	214	1550	152	60	6150	6120	241
1400	1380	54 1/2	5600	5580	219 1/2	1600	1570	62	6300	6270	247
1450	1430	56 1/2				1650	1620	64	6900	6870	270 1/2
1500	1480	58 1/2				1700	1670	65 1/2	7000	6970	274 1/2
1550	1530	60				1750	1720	67 1/2			
1600	1580	62				1800	1770	69 1/2			
1650	1630	64				1850	1820	71 1/2			
1700	1680	66				1900	1870	73 1/2			
1750	1730	68				1950	1920	75 1/2			
1800	1780	70				2000	1970	77 1/2			
1850	1830	72				2060	2030	80			
1900	1880	74				2120	2090	82 1/2			
1950	1930	76				2180	2150	84 1/2			
2000	1980	78				2240	2210	87			
2060	2040	80 1/2				2300	2270	89 1/2			
2120	2100	82 1/2				2360	2330	91 1/2			
2180	2160	85				2430	2400	94 1/2			
2240	2220	87 1/2				2500	2470	97			
2300	2280	90				2580	2550	100 1/2			
2360	2340	92				2650	2620	103			
2430	2410	95				2720	2690	106			

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

B			B			20			20		
Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)
740	700	27 1/2	3070	3030	119 1/2	1110	1060	41 1/2	4250	4200	165 1/2
780	740	29	3150	3110	122 1/2	1120	1070	42	4370	4320	170
800	760	30	3250	3210	126 1/2	1150	1100	43 1/2	4500	4450	175
825	785	31	3350	3310	130 1/2	1180	1130	44 1/2	4620	4570	180
850	810	32	3450	3410	134 1/2	1220	1170	46	4750	4700	185
875	835	33	3550	3510	138	1250	1200	47	4870	4820	190
900	860	34	3650	3610	142	1280	1230	48 1/2	5000	4950	195
925	885	35	3750	3710	146	1320	1270	50	5150	5100	201
950	910	36	3870	3830	151	1360	1310	51 1/2	5300	5250	206 1/2
975	935	37	4000	3960	156	1400	1350	53	5450	5400	212 1/2
1060	1020	40	4120	4080	160 1/2	1450	1400	55	5600	5550	218 1/2
1090	1050	41 1/2	4250	4210	165 1/2	1500	1450	57	5800	5750	226 1/2
1120	1080	42 1/2	4370	4330	170 1/2	1550	1500	59	6000	5950	234 1/2
1150	1110	43 1/2	4500	4460	175 1/2	1600	1550	61	6150	6100	240
1180	1140	45	4620	4580	180 1/2	1650	1600	63	6300	6250	246
1220	1180	46 1/2	4750	4710	185 1/2	1700	1650	65	6500	6450	254
1250	1210	47 1/2	4870	4830	190	1750	1700	67	6700	6650	262
1280	1240	49	5000	4960	195 1/2	1800	1750	69	6900	6850	269 1/2
1320	1280	50 1/2	5150	5110	201	1850	1800	71	7100	7050	277 1/2
1360	1320	52	5300	5260	207	1900	1850	73	7300	7250	285 1/2
1400	1360	53 1/2	5450	5410	213	1950	1900	75	7500	7450	293 1/2
1450	1410	55 1/2	5600	5560	219	2000	1950	77	7750	7700	303
1500	1460	57 1/2	5800	5760	227	2060	2010	79	8000	7950	313
1550	1510	59 1/2	6000	5960	234 1/2	2120	2070	81 1/2	8250	8200	323
1600	1560	61 1/2	6150	6110	240 1/2	2180	2130	84	8500	8450	332 1/2
1650	1610	63 1/2	6300	6260	246 1/2	2240	2190	86	8750	8700	342 1/2
1700	1660	65 1/2	7100	7060	278	2300	2250	88 1/2	9000	8950	352 1/2
1750	1710	67 1/2	8000	7960	313 1/2	2360	2310	91	9250	9200	362
1800	1760	69 1/2	9500	9460	372 1/2	2430	2380	93 1/2	9500	9450	372
1850	1810	71 1/2	10600	10560	415 1/2	2500	2450	96 1/2	9750	9700	382
1900	1860	73	12800	12760	502 1/2	2580	2530	99 1/2	10000	9950	291 1/2
1950	1910	75	15000	14960	589	2650	2600	102 1/2	10300	10250	403 1/2
2000	1960	77				2720	2670	105	10600	10550	415 1/2
2060	2020	79 1/2				2800	2750	108 1/2	10900	10850	427
2120	2080	82				2900	2850	112	11200	11150	439
2180	2140	84 1/2				3000	2950	116	11500	11450	451
2240	2200	86 1/2				3070	3020	119	11800	11750	462 1/2
2300	2260	89				3150	3100	122	12200	12150	478 1/2
2360	2320	91 1/2				3250	3200	126	12500	12450	490
2430	2390	94				3350	3300	130	12800	12750	502
2500	2460	97				3450	3400	134	13200	13150	517 1/2
2580	2540	100				3550	3500	138	13600	13550	533 1/2
2650	2610	103				3650	3600	141 1/2	14000	13950	549
2720	280	105 1/2				3750	3700	145 1/2	14500	14450	569
2800	2760	108 1/2				3870	3820	150 1/2	15000	14950	588 1/2
2900	2860	112 1/2				4000	3950	155 1/2			
3000	2960	116 1/2				4120	4070	160			

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

C			C			25			25		
Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)
1110	1060	41 1/2	4250	4200	165 1/2	1120	1060	41 1/2	4500	4440	175
1120	1070	42	4370	4320	170	1150	1090	43	460	4560	179 1/2
1150	1100	43 1/2	4500	4450	175	1180	1120	44	4750	4690	184 1/2
1180	1130	44 1/2	4620	4570	180	1220	1160	45 1/2	4870	4810	189 1/2
1220	1170	46	4750	4700	185	1250	1190	47	5000	4940	194 1/2
1250	1200	47	4870	4820	190	1280	1220	48	5150	5090	200 1/2
1280	1230	48 1/2	5000	4950	195	1320	1260	49 1/2	5300	5240	206 1/2
1320	1270	50	5150	5100	201	1360	1300	51	5450	5390	212
1360	1310	51 1/2	5300	5250	206 1/2	1400	1340	53	5600	5540	218
1400	1350	53	5450	5400	212 1/2	1450	1390	54 1/2	5800	5740	226
1450	1400	55	5600	5550	218 1/2	1500	1440	56 1/2	6000	5940	234
1500	1450	57	5800	5750	226 1/2	1550	1490	58 1/2	6150	6090	240
1550	1500	59	6000	5950	234 1/2	1600	1540	60 1/2	6300	6240	245 1/2
1600	1550	61	6150	6100	240	1650	1590	62 1/2	6500	6440	253 1/2
1650	1600	63	6300	6250	246	1700	1640	64 1/2	6700	6640	261 1/2
1700	1650	65	6500	6450	254	1750	1690	66 1/2	6900	6840	269 1/2
1750	1700	67	6700	6650	262	1800	1740	68 1/2	7100	7040	277
1800	1750	69	6900	6850	269 1/2	1850	1790	70 1/2	7300	7240	285
1850	1800	71	7100	7050	277 1/2	1900	1840	72 1/2	7500	7440	293
1900	1850	73	7300	7250	285 1/2	1950	1890	74 1/2	7750	7690	303
1950	1900	75	7500	7450	293 1/2	2000	1940	76 1/2	8000	7940	312 1/2
2000	1950	77	7750	7700	303	2060	2000	78 1/2	8250	8190	322 1/2
2060	2010	79	8000	7950	313	2120	2060	81	8500	8440	332 1/2
2120	2070	81 1/2	8250	8200	323	2180	2120	83 1/2	8750	8690	342
2180	2130	84	8500	8450	332 1/2	2240	2180	86	9000	8940	352
2240	2190	86	8750	8700	342 1/2	2360	2300	90 1/2	9250	9190	362
2300	2250	88 1/2	9000	8950	352 1/2	2430	2370	93 1/2	9500	9440	371 1/2
2360	2310	91	9250	9200	362	2500	2440	96	9750	9690	381 1/2
2430	2380	93 1/2	9500	9450	372	2580	2520	99	10000	9940	391 1/2
2500	2450	96 1/2	9750	9700	382	2650	2590	102	10300	10240	403
2580	2530	99 1/2	10000	9950	391 1/2	2720	2660	104 1/2	10600	10540	415
2650	2600	102 1/2	10300	10250	403 1/2	2800	2740	108	10900	10840	427
2720	2670	105	10600	10550	415 1/2	2900	2840	112	11200	11140	438 1/2
2800	2750	108 1/2	10900	10850	427	3000	2940	115 1/2	11500	11440	450 1/2
2900	2850	112	11200	11150	439	3070	3010	118 1/2	11800	11740	462
3000	2950	116	11500	11450	451	3150	3090	121 1/2	12200	12140	478
3070	3020	119	11800	11750	462 1/2	3250	3190	125 1/2	12500	12440	490
3150	3100	122	12200	12150	478 1/2	3350	3290	129 1/2	12800	12740	501 1/2
3250	3200	126	12500	12450	490	3450	3390	133 1/2	13200	13140	517 1/2
3350	3300	130	12800	12750	502	3550	3490	137 1/2	13600	13540	533
3450	3400	134	13200	13150	517 1/2	3650	3590	141 1/2	14000	13940	549
3350	3500	138	13600	13550	533 1/2	3750	3690	145 1/2	14500	14440	568 1/2
3650	3600	141 1/2	14000	13950	549	3870	3810	150	15000	14940	588
3750	3700	145 1/2	14500	14450	569	4000	3910	155			
3870	3820	150 1/2	15000	14950	588 1/2	4120	4060	160			
4000	3950	155 1/2				4250	4190	165			
4120	4070	160				4370	4310	169 1/2			

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

D			D			38			38		
Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)
2240	2165	85	8750	8675	341 1/2	2500	2420	95 1/2	11200	11120	438
2300	2225	87 1/2	90000	8925	351 1/2	2580	2500	98 1/2	11500	11420	449 1/2
2360	2285	90	9250	9175	361	2650	2570	101	11800	11720	461 1/2
2430	2355	92 1/2	9500	9425	371	2720	2640	104	12200	12120	477
2500	2425	95 1/2	9750	9675	381	2800	2720	107	12500	12420	489
2580	2505	98 1/2	10000	9925	390 1/2	2900	2820	111	12800	12720	501
2650	2575	101 1/2	10300	10225	402 1/2	3000	2920	115	13200	13120	516 1/2
2720	2645	104	10600	10525	414 1/2	3070	2990	117 1/2	13600	13520	532 1/2
2800	2775	107 1/2	10900	10825	426	3150	3070	121	14000	13920	548
2900	2825	111	11200	11125	438	3250	3170	125	14500	14420	567 1/2
3000	2925	115	11500	11425	450	3350	3270	128 1/2	15000	14920	587 1/2
3070	2995	118	11800	11725	461 1/2	3450	3370	132 1/2			
3150	3075	121	12200	12125	477 1/2	3550	3470	136 1/2			
3250	3175	125	12500	12425	489	3650	3570	140 1/2			
3350	3275	129	12800	12725	501	3870	3790	149			
3450	3375	133	13200	13125	516 1/2	4000	3920	154 1/2			
3550	3475	137	13600	13525	532 1/2	4120	4040	159			
3650	3575	140 1/2	14000	13925	548	4250	4170	164			
3750	3675	144 1/2	14500	14425	568	4370	4290	169			
3870	3795	149 1/2	15000	14925	587 1/2	4500	4420	174			
4000	3925	154 1/2				4620	4540	178 1/2			
4120	4045	159 1/2				4750	4670	184			
4250	4175	164 1/2				4870	4790	188 1/2			
4370	4295	169				5000	4920	193 1/2			
4500	4425	174				5150	5070	199 1/2			
4600	4545	179				5300	5220	205 1/2			
4750	4675	184				5450	5370	211 1/2			
4870	4795	189				5800	5720	225			
5000	4925	194				6000	5920	233			
5150	5075	200				6150	6070	239			
5300	5225	205 1/2				6300	6220	245			
5450	5375	211 1/2				6500	6420	253			
5600	5525	217 1/2				6700	6620	260 1/2			
5800	5725	225 1/2				6900	6820	268 1/2			
6000	5925	233 1/2				7100	7020	276 1/2			
6150	6075	239				7500	7420	292			
6300	6225	245				7750	7670	302			
6500	6425	253				8000	7920	312			
6700	6625	261				8250	8170	321			
6900	6825	268 1/2				9000	8920	351			
7100	7025	276 1/2				9250	9170	361			
7300	7225	284 1/2				9500	9420	371			
7500	7425	292 1/2				9750	9670	380 1/2			
7750	7675	302				10000	9920	390 1/2			
8000	7925	312				10300	10220	402 1/2			
8250	8175	322				10600	10520	414			
8500	8425	331 1/2				10900	10820	426			

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

E			E		
Lw (mm)	Li (mm)	Li (inch)	Lw (mm)	Li (mm)	Li (inch)
2500	2420	95 1/2	11200	11120	438
2580	2500	98 1/2	11500	11420	449 1/2
2650	2570	101	11800	11720	461 1/2
2720	2640	104	12200	12120	477
2800	2720	107	12500	12420	489
2900	2820	111	12800	12720	501
3000	2920	115	13200	13120	516 1/2
3070	2990	117 1/2	13600	13520	532 1/2
3150	3070	121	14000	13920	548
3250	3170	125	14500	14420	567 1/2
3350	3270	128 1/2	15000	14920	587 1/2
3450	3370	132 1/2			
3550	3470	136 1/2			
3650	3570	140 1/2			
3870	3790	149			
4000	3920	154 1/2			
4120	4040	159			
4250	4170	164			
4370	4290	169			
4500	4420	174			
4620	4540	178 1/2			
4750	4670	184			
4870	4790	188 1/2			
5000	4920	193 1/2			
5150	5070	199 1/2			
5300	5220	205 1/2			
5450	5370	211 1/2			
5800	5720	225			
6000	5920	233			
6150	6070	239			
6300	6220	245			
6500	6420	253			
6700	6620	260 1/2			
6900	6820	268 1/2			
7100	7020	276 1/2			
7500	7420	292			
7750	7670	302			
8000	7920	312			
8250	8170	321 1/2			
9000	8920	351			
9250	9170	361			
9500	9420	371			
9750	9670	380 1/2			
10000	9920	390 1/2			
10300	10220	402 1/2			
10600	10520	414			
10900	10820	426			

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

3L				3L			
Typ	Inch	La (mm)	Lw (mm)	Typ	Inch	La (mm)	Lw (mm)
3L-250	25	635	619	3L-1300	130	3302	3286
3L-260	26	660	644	3L-1320	132	3353	666
3L-270	27	686	670	3L-1350	135	3429	3413
3L-280	28	711	695	3L-1370	137	3480	3464
3L-290	29	737	721	3L-1400	140	3556	3540
3L-300	30	762	746	3L-1430	143	3632	3616
3L-310	31	787	771	3L-1450	145	3683	3667
3L-320	32	813	797	3L-1480	148	3759	3743
3L-330	33	838	822	3L-1500	150	810	3794
3L-340	34	864	848	3L-1520	152	3861	3845
3L-350	35	889	873	3L-1550	155	3937	3921
3L-360	36	914	898	3L-1570	157	3988	3972
3L-370	37	940	924	3L-1600	60	4064	4048
3L-380	38	965	949	3L-1700	170	4318	4302
3L-390	39	991	975	3L-1800	180	4572	4556
3L-420	42	1067	1051	3L-1900	190	4826	4810
3L-450	45	1143	1127	3L-2000	200	5080	5064
3L-480	48	1219	1203	3L-2100	210	5334	5318
3L-500	50	1270	1254	3L-2210	221	5613	5597
3L-530	53	1346	1330				
3L-550	55	1397	1381				
3L-580	58	1473	1457				
3L-600	60	1524	1508				
3L-620	62	1575	1559				
3L-710	71	1803	1787				
3L-750	75	1905	1889				
3L-770	77	1956	1940				
3L-800	80	2032	2016				
3L-830	83	2108	2092				
3L-850	85	2159	2143				
3L-870	87	2210	2194				
3L-900	90	2283	2270				
3L-920	92	2337	2321				
3L-950	95	2413	2397				
3L-970	97	24654	2448				
3L-1000	100	2540	2524				
3L-1020	102	2590	2574				
3L-1050	105	2667	2651				
3L-1070	107	2718	2702				
3L-1100	110	2794	2778				
3L-1120	112	2845	2829				
3L-1150	115	2921	2905				
3L-1170	117	2971	2955				
3L-1200	120	3048	3032				
3L-1220	122	3099	3083				
3L-1250	125	3175	3159				
3L-1270	127	3226	3210				

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

4L				4L			
Typ	Inch	La (mm)	Lw (mm)	Typ	Inch	La (mm)	Lw (mm)
4L-250	25	635	615	4L-1200	120	3048	3028
4L-260	26	660	640	4L-1250	125	3175	3155
4L-270	27	686	666	4L-1350	135	3429	3409
4L-280	28	711	691	4L-1400	140	3556	3536
4L-290	29	737	717	4L-1450	145	3683	3663
4L-300	30	762	742	4L-1500	150	3810	3790
4L-310	31	787	767	4L-1550	155	3937	3917
4L-320	32	813	793	4L-1600	160	4064	4044
4L-330	33	838	818	4L-1700	170	4318	4298
4L-340	34	864	844	4L-1800	180	4572	4552
4L-350	35	889	869	4L-1900	190	4826	4806
4L-360	36	914	894	4L-2000	200	5080	5060
4L-370	37	940	920	4L-2100	210	5334	5314
4L-380	37	965	945	4L-2200	220	5588	5568
4L-390	39	991	971	4L-2300	230	5842	5822
4L-400	40	1016	996	4L-2400	240	6096	6076
4L-410	41	1041	1021	4L-2500	250	6350	6330
4L-420	42	1067	1047	4L-2600	260	6604	6584
4L-430	43	1092	1072	4L-2700	276	7010	6990
4L-440	44	1118	1098				
4L-450	45	1143	1123				
4L-460	46	1168	1148				
4L-470	47	1194	1174				
4L-480	48	1219	1199				
4L-490	49	1245	1225				
4L-500	50	1270	1250				
4L-510	51	1295	1275				
4L-520	52	1321	1301				
4L-530	53	1346	1326				
4L-540	54	1372	1352				
4L-550	55	1397	1377				
4L-560	56	1422	1402				
4L-570	57	1448	1428				
4L-580	58	1473	1453				
4L-590	59	1499	1479				
4L-600	60	1524	1504				
4L-650	65	1651	1631				
4L-700	70	1778	1758				
4L-750	75	1905	1885				
4L-800	80	2032	2012				
4L-850	85	2159	2139				
4L-900	90	2286	2266				
4L-950	95	2413	2393				
4L-1000	100	2540	2520				
4L-1050	105	2667	2647				
4L-1100	110	2794	2774				
4L-1150	115	2921	2901				

Navedene duljine su primjeri. U navedenom rasponu dostupne su sve dužine.
The listed lengths are only examples. Any length is available in the mentioned range.

5L				5L			
Typ	Inch	La (mm)	Lw (mm)	Typ	Inch	La (mm)	Lw (mm)
5L-320	32	813	787	5L-1800	180	4572	4546
5L-330	33	838	812	5L-1900	190	4826	4800
5L-340	34	864	838	5L-2000	200	5080	5054
5L-350	35	889	863	5L-2100	210	5334	5308
5L-360	36	914	888	5L-2200	220	5588	5562
5L-370	37	940	914	5L-2300	230	5842	5816
5L-380	38	965	939	5L-2400	240	6096	6070
5L-390	39	991	965	5L-2500	250	6350	6324
5L-400	40	1016	990	5L-2600	260	6604	6578
5L-410	41	1041	1015	5L-2700	270	6858	6832
5L-420	42	1067	1041	5L-2800	280	7112	7086
5L-430	43	1092	1066	5L-2900	290	7366	7340
5L-440	44	1118	1092	5L-3000	300	7620	7594
5L-450	45	1143	1117	5L-3100	310	7874	7848
5L-460	46	1168	1142	5L-3200	320	8128	8102
5L-470	47	1194	1168	5L-3300	330	8382	8356
5L-480	48	1219	1193	5L-3400	340	8636	8610
5L-490	49	1245	1219	5L-3500	350	8890	8864
5L-500	50	1270	1244	5L-3550	355	9017	8991
5L-510	51	1295	1269				
5L-520	52	1321	1295				
5L-530	53	1346	1320				
5L-540	54	1372	1346				
5L-550	55	1397	1371				
5L-560	56	1422	1396				
5L-600	60	1524	1498				
5L-650	65	1651	1625				
5L-700	70	1778	1752				
5L-750	75	1905	1879				
5L-800	80	2032	2006				
5L-850	85	2159	2133				
5L-900	90	2286	2260				
5L-950	95	2413	2387				
5L-1000	100	2540	2514				
5L-1050	105	2667	2641				
5L-1100	110	2794	2768				
5L-1150	115	2921	2895				
5L-1200	120	3048	3022				
5L-1250	125	3175	3149				
5L-1300	130	3302	3276				
5L-1350	135	3429	3403				
5L-1400	140	3556	3530				
5L-1450	145	3683	3657				
5L-1500	150	3810	3784				
5L-1550	155	3937	3911				
5L-1600	160	4064	4038				
5L-1700	170	4318	4292				